

# HPE Aruba Networking CX 6200F 24G Class-4 PoE 4SFP+ 370W Switch (JL725B)



## What's new

- Enterprise-class connectivity with support for ACLs, robust QoS, and common protocols such as static and Access OSPF routing.
- Scalability with 8 member VSF stacking. 24 and 48-port fixed and modular switch models can stack together for up to 384 ports.
- Models include modular switches with 1/10GbE uplinks, LRM, and MACSec 256, fixed switches with either 1/10GbE SFP+ or 1GbE SFP uplinks, and options that support 30W to 60W of PoE per port.
- Intelligent monitoring and visibility via Aruba Network Analytics Engine. Aruba NetEdit support for automation, configuration and verification. One touch deployment

## Overview

The HPE Aruba Networking CX 6200 Switch Series is a next-gen family of stackable access switches ideal for enterprise branch offices, campuses, and SMB networks. With a cloud-centric design that combines a fully programmable OS with the HPE Aruba Network Analytics Engine, the HPE Aruba Networking CX 6200 extends industry-leading monitoring and troubleshooting capabilities to the access layer. Support of Aruba NetEdit and the Aruba CX Mobile App verify that configurations are flawless and easy to deploy.

Make your network ready for tomorrow's unpredictable demands with a powerful Aruba Gen7 ASIC architecture to deliver fast, non-blocking performance. Aruba Virtual Stacking Framework (VSF) allows for stacking of up to 8 switches, providing scale and simplified management. This series includes fixed (CX 6200F) and modular (CX 6200M) switches with

- using the Aruba CX Mobile App.
- Aruba Dynamic Segmentation enables enhanced security and simple access for users and IoT.
- Flexible, modular switch models support hot-swappable, redundant power supplies and fans for enhanced resiliency.

built-in high speed uplinks and up to 1440W of PoE to support IoT devices such as security cameras and wireless APs.

## Features

### Automation and Analytics

The HPE Aruba Networking CX 6200 Switch Series delivers unparalleled visibility with built-in analytics for real-time monitoring and troubleshooting to help fix problems faster. The Aruba Network Analytics Engine (NAE) automatically interrogates and analyzes events that can impact network health.

Advanced telemetry and automation provide the ability to easily identify and troubleshoot network, system, application, and security related issues easily through the use of Python agents and REST APIs.

The Time Series Database (TSDB) stores configuration and operational state data, making it available to quickly resolve network issues.

Aruba NetEdit introduces automation that allows for rapid network-wide changes, and ensures policy conformance post network updates. Intelligent capabilities include search, edit, validation (including conformance checking), deployment, and audit features.

The Aruba CX Mobile App simplifies connecting, stacking, and managing HPE Aruba Networking CX 6200 switches. Switch information can be imported into Aruba NetEdit for simplified configuration management and to continuously validate the conformance of configurations anywhere in the network.

### Performance and Power

The HPE Aruba Networking CX 6200 Switch Series uses a fully distributed architecture with Aruba Gen7 ASICs that delivers very low latency, increased packet buffering, and adaptive power consumption. All switching and routing are wire-speed to meet the demands of bandwidth-intensive applications.

Aruba Virtual Switching Framework (VSF) allows you to quickly grow your network using high performance front-plane stacking. Create 8 member stacks using built-in SFP+ ports with flexibility to create stacks that span longer distances using long-range transceivers.

Deploy wireless access points and IoT devices with HPE Aruba Networking CX 6200 models that support up to 1440W IEEE 802.3at Class 6 Power over Ethernet for up to 60W per port.

Flexible, modular switch models support hot-swappable, redundant power supplies and fans for enhanced resiliency.

### Smarter Segmentation

The HPE Aruba Networking CX 6200 Switch Series supports Aruba Dynamic Segmentation that automatically applies and enforces user, device, and application-aware policies on Aruba wired and wireless infrastructures.

Automated device profiling, role-based access control, and Layer 7 firewall features deliver enhanced visibility and performance for a better overall experience for both IT and end-users alike.

Switch-to-switch tunnels with VXLAN for low-latency and high performance use cases.

## Technical specifications

## HPE Aruba Networking CX 6200F 24G Class-4 PoE 4SFP+ 370W Switch


|                                    |                                                                                                                                                                                                                                                  |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Number</b>              | JL725B                                                                                                                                                                                                                                           |
| <b>Differentiator</b>              | Next-generation family of stackable access switches ideal for enterprise branch offices, campuses and SMB networks. 24x 10/100/1000BASE-T and 4x 1/10G SFP ports 370W of available Class 4 PoE power.                                            |
| <b>Ports</b>                       | 24x ports 10/100/1000BASE-T Class 4 PoE Ports, supporting up to 30W per port<br>4x 100M/1/10G SFP+ ports<br>Supports PoE Standards IEEE 802.3af, 802.3at<br>1x USB-C Console Port<br>1x RJ-45 Console Port<br>1x OOBM<br>1x USB Type-A Host port |
| <b>Memory and processor</b>        | Quad Core ARM Cortex™ A72 @ 1.8 GHz                                                                                                                                                                                                              |
| <b>Latency</b>                     | 1 Gbps: 2.28 µSec<br>10 Gbps: 1.46 µSec                                                                                                                                                                                                          |
| <b>Throughput</b>                  | Up to 95.2 Mpps                                                                                                                                                                                                                                  |
| <b>Routing/switching capacity</b>  | 128 Gbps                                                                                                                                                                                                                                         |
| <b>PoE capability</b>              | 370W                                                                                                                                                                                                                                             |
| <b>Stacking capabilities</b>       | 8 members                                                                                                                                                                                                                                        |
| <b>Power supply name</b>           | Fixed power supply<br>Up to 370W of Class 4 PoE Power                                                                                                                                                                                            |
| <b>Input voltage</b>               | 100V-120V/200V-240V                                                                                                                                                                                                                              |
| <b>Power consumption</b>           | 65W at 230 VAC                                                                                                                                                                                                                                   |
| <b>Product dimensions (metric)</b> | 4.39 x 44.2 cm x 32.7 cm                                                                                                                                                                                                                         |
| <b>Weight</b>                      | 5.10 kg, max, depending on model                                                                                                                                                                                                                 |

For additional technical information, available models and options, please reference the QuickSpecs

## HPE Aruba Networking Services

HPE Aruba Networking services simplify and accelerate the network technology lifecycle, enabling your network to scale with better predictability and cost-effectiveness. Whether you operate your own network and need to improve your IT efficiencies, or you want to offload some of the burden, we have the services you need to reach your goals.

Learn more about what HPE Services - Aruba Networking has to offer at: [arubanetworks.com/services/](https://arubanetworks.com/services/)



## Support Services from HPE Aruba Networking

Our support portfolio provides the essential support elements as well as proactive and preventive features to help you improve your team's productivity and get the most from your network. Our support customers benefit from faster issue resolution, simplified operations and efficiencies, and reduced network issues.

## Professional Services from HPE Aruba Networking

With deep intellectual capital and purpose-built tools, our team delivers a range of standard and custom professional services designed to accelerate your value from HPE Aruba Networking technology.

### Project based services

#### include:

- Planning, audit, and assessment
- Architecture review and design
- Deployment, migration, and knowledge transfer

### Annual subscription services include:

- Network optimization
- Intelligent Operations
- Customer Experience Management

Our **Education Services** allow your team to come up to speed quickly.

## HPE Aruba Networking Network as-a-Service (NaaS)

Our NaaS solution, HPE Aruba Networking Managed Connectivity Services, part of the HPE GreenLake services family, simplifies network operations, accelerates equipment handling, and increases the value of your HPE Aruba Networking network. If you need expert guidance and automation-based operations for your team, please explore the NaaS approach from HPE Aruba Networking [here](#).

Make the right purchase decision.  
Contact our presales specialists.

[Chat online](#)



Chat now (sales)



Call now



Buy now



Share now



Get updates

**aruba**  
a Hewlett Packard  
Enterprise company

© Copyright 2024 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Image may differ from the actual product  
PSN1014739640UKEN, January, 2024.