


GIGABYTE B760M D3HP Motherboard - Intel Core 14th Gen CPUs, 4+1+1 Phases VRM, up to 5600MHz DDR5, 2xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 1



Brand : GIGABYTE

Product code: B760M D3HP

Product name : B760M D3HP Motherboard - Intel Core 14th Gen CPUs, 4+1+1 Phases VRM, up to 5600MHz DDR5, 2xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 1

- Supports Intel Core 14th/ 13th /12th processors
 - Unparalleled Performance: Hybrid 4+1+1 Phases Digital VRM Solution
 - Dual Channel DDR5: 4*DIMMs XMP Memory Module Support
 - Next Generation Storage: 2*PCIe 4.0 x4 M.2 Connectors
 - Fast Networks: GbE LAN
 - Extended Connectivity: Front USB-C 5Gb/s, DP, HDMI, D-Sub
 - Smart Fan 6: Features Multiple Temperature Sensors, Hybrid Fan Headers with FAN STOP
 - Q-Flash Plus: Update BIOS Without Installing the CPU, Memory and Graphics Card
- B760M D3HP Motherboard - Intel Core 14th Gen CPUs, 4+1+1 Phases VRM, up to 5600MHz DDR5, 2xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 1

GIGABYTE B760M D3HP Motherboard - Intel Core 14th Gen CPUs, 4+1+1 Phases VRM, up to 5600MHz DDR5, 2xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 1:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge

Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	DisplayPorts quantity	1
Processor socket *	LGA 1700	DisplayPort version	1.2
Compatible processor series *	Intel® Celeron®, Intel Core i3 12th Gen, Intel Core i3 13th Gen, Intel Core i3 14th Gen, Intel Core i5 12th Gen, Intel Core i5 13th Gen, Intel Core i5 14th Gen, Intel Core i7 12th Gen, Intel Core i7 13th Gen, Intel Core i7 14th Gen, Intel Core i9 12th Gen, Intel Core i9 13th Gen, Intel Core i9 14th Gen, Intel® Pentium® Gold	Headphone outputs	1
		Line-in	✓
		Microphone in	✓
		Network	
		Ethernet LAN	✓
Supported processor sockets	LGA 1700	Ethernet interface type	Gigabit Ethernet
		LAN controller	Realtek RTL8111H
		Wi-Fi *	✗
Memory		Features	
Supported memory types *	DDR5-SDRAM	Motherboard chipset *	Intel B760 Express
Number of memory slots *	4	Audio output channels *	7.1 channels
Memory slots type	DIMM	Product colour	Brown
Memory channels	Dual-channel	PC health monitoring	Fan, Temperature, Voltage, Water cooling
ECC compatibility	ECC & Non-ECC	Component for *	PC
Supported memory clock speeds	4400,4800,5200,5600 MHz	Motherboard form factor *	micro ATX
Supported memory clock speed (max)	5600 MHz	Motherboard chipset family *	Intel
Maximum internal memory *	256 GB	Power source type	ATX
Unbuffered memory	✓	Windows operating systems supported	Windows 10, Windows 11
Maximum internal memory per slot	64 GB		
Storage controllers		Expansion slots	
Supported storage drive types	HDD & SSD	PCI Express x1 (Gen 3.x) slots	2
Supported storage drive interfaces *	M.2, SATA III	PCI Express x16 (Gen 4.x) slots	1
Number of HDDs supported	4	Number of M.2 (M) slots	2
Number of storage drives supported	6	1st M.2 largest key size	2280
RAID support	✓	1st M.2 highest PCI Express generation	4.0
RAID levels	0, 1, 5, 10		

Graphics		Expansion slots	
Parallel processing technology support *	Not supported	2nd M.2 largest key size	2280
Maximum resolution	4096 x 2304 pixels	2nd M.2 highest PCI Express generation	4.0
HDCP	✓	BIOS	
DirectX version	12.0	BIOS type *	UEFI AMI
Internal I/O		BIOS memory size	128 Mbit
USB 2.0 connectors *	2	ACPI version	5.0
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	Clear CMOS jumper	✓
Number of SATA III connectors *	4	Desktop Management Interface (DMI) version	2.7
S/PDIF out connector	✓	System Management BIOS (SMBIOS) version	2.7
Front panel audio connector	✓	Logistics data	
Front panel connector	✓	Products per shipping (inner) case	1 pc(s)
ATX Power connector (24-pin)	✓	Battery	
CPU fan connector	✓	Battery weight	3 g
Number of CPU fan connectors	1	Lithium weight per battery	0.07 g
Number of chassis fan connectors	3	Number of battery cells	1
EPS power connector (8-pin)	✓	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Number of EPS power connectors (8-pin)	1	Battery type	CR2032
TPM connector	✓	Packaging data	
Parallel connector	✓	Package width	270 mm
Serial port headers	1	Package depth	268 mm
12V power connector	✓	Package height	68 mm
RGB LED pin header	✓	Package weight	1.21 kg
Number of RGB LED pin headers	2	Weight & dimensions	
Rear panel I/O ports		Width	244 mm
USB 2.0 ports quantity *	2	Depth	244 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Height	35 mm
Ethernet LAN (RJ-45) ports *	1	Packaging content	
PS/2 ports quantity	1	Batteries included	✓
VGA (D-Sub) ports quantity *	1	Screws included	✓
HDMI ports quantity *	1	Bundled software	Norton Internet Security
HDMI version	2.1	Other features	
		Weight	720 g
		Technical details	
		Warranty period	3 year(s)



4719331864347

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.