

Axagon ACU-PQ67D PD3.0 & QC4+ 2xOUTPUTS, LCD display, wall charger 67W

Brand : Axagon

Product code: ACU-PQ67D

Product name : ACU-PQ67D PD3.0 & QC4+ 2xOUTPUTS, LCD display, wall charger 67W

AXAGON ACU-PQ67D GaN Wall charger 67W, USB-A + USB-C, PD3.0/PPS/QC4+/SFC2.0/Apple, LCD display

Axagon ACU-PQ67D PD3.0 & QC4+ 2xOUTPUTS, LCD display, wall charger 67W. Charger type: Indoor, Power source type: AC, Charger compatibility: Universal. Input voltage: 100 - 240 V. USB 2.0 ports quantity: 1, USB Type-C ports quantity: 1, Fast charging, Power protection features: Over current, Over voltage, Overheating, Short circuit. Product colour: Black, Grey



Performance		Power	
Charger compatibility *	Universal	Output current (12V)	3 A
Power source type *	AC	Output current (15V)	3 A
USB 2.0 ports quantity	1	Output current (20V)	3.35 A
USB Type-C ports quantity	1	Power plug type	Type C
Wireless charging	✗	Weight & dimensions	
Fast charging	✓	Width	32 mm
Fast charging technology	Quick Charge 3.0, Quick Charge 4+, Adaptive Fast Charging, Quick Charge 2.0, Power Delivery 2.0, Power Delivery 3.0, Super Fast Charging	Depth	46 mm
		Height	90 mm
Charger type *	Indoor	Weight	105 g
Number of simultaneously connected devices (max) *	2	Packaging data	
Programmable power supply (PPS)	✓	Package width	80 mm
USB Power Delivery (USB PD)	✓	Package depth	40 mm
USB Power Delivery revision	3.0	Package height	100 mm
Power protection features	Over current, Over voltage, Overheating, Short circuit	Package weight	136 g
Design		Package type	Hanging box
Product colour *	Black, Grey	Packaging content	
Housing material	Plastic, Aluminium	Quantity per pack	1 pc(s)
LED indicators	Speed	Manual	✓
Plug and Play	✓	Certificates	
Gallium nitride (GaN) transistors	✓	Waste Electrical and Electronic Equipment (WEEE) compliance	✓
Power		Compliance certificates	CE, RoHS, Federal Communications Commission (FCC)
Input voltage	100 - 240 V	Certification	CE, RoHS
Input frequency	50/60 Hz	Sustainability	
Input current	1.8 A	Doesn't contain	Lead, Mercury, Cadmium
Port 1 output power	67 W	Logistics data	
		Country of origin	China

Power		Other features	
Port 2 output power	30 W	Built-in display	✓
Output current (5V)	3 A	Display type	LCD
Output current (9V)	3 A		



8595247909145

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.