

Chieftec Vega PPG-1000-C power supply unit 1000 W 24-pin ATX ATX White

Brand : Chieftec

Product family: Vega

Product code: PPG-1000-C

Product name : PPG-1000-C

Chieftec Vega PPG-1000-C. Total power: 1000 W, AC input voltage: 100 - 240 V, AC input frequency: 50/60 Hz. Motherboard power connector: 24-pin ATX, Motherboard power cable length: 60 cm, SATA power cable length: 150,400 mm. Purpose: PC, Power supply unit (PSU) form factor: ATX, 80 PLUS certification: 80 PLUS Gold. Product colour: White, Cooling type: Active, Fan diameter: 13.5 cm. Certification: 80PLUS Gold



Power		Ports & interfaces	
Total power *	1000 W	PCI Express power connectors (12+4 pin)	1
AC input voltage *	100 - 240 V	PCI Express power connectors (12+4 pin) cable length	600 mm
AC input frequency	50/60 Hz	PCI Express power cable length	60 cm
Input current	12 A	CPU power connector (4+4 pin)	✓
Combined power (+3.3V)	100 W	CPU power cable length	65 cm
Combined power (+12V)	1000 W	ATX Power connector (24-pin)	✓
Combined power (+5V)	100 W	PCI Express connector	✓
Combined power (-12V)	3.6 W	Number of EPS connectors	2
Combined power (+5Vsb)	15 W	Cabling type	Fully-Modular
Max output current (+3.3V)	20 A	Performance	
Max output current (+12V)	83.33 A	80 PLUS certification *	80 PLUS Gold
Max output current (+5V)	20 A	Purpose *	PC
Max output current (-12V)	0.3 A	Power supply unit (PSU) form factor *	ATX
Max output current (+5Vsb)	3 A	ATX version	3.1
Power protection features	Over current, Over voltage, Overload, Short circuit, Surge and inrush	Bearing technology	FDB
Ports & interfaces		Design	
Motherboard power connector *	24-pin ATX	Product colour	White
Motherboard power cable length	60 cm	Cooling type	Active
Number of SATA power connectors	6	Fan diameter	13.5 cm
SATA power cable length	150,400 mm	Illumination	✗
Peripheral (Molex) power connectors (4-pin) *	3	Certificates	
Peripheral (Molex) power cable length	150,400 mm	Certification	80PLUS Gold
EPS power connector (8-pin)	✓	Weight & dimensions	
EPS power connector (4+4 pin)	✓	Width	150 mm
PCI Express power connectors (6+2 pin)	4		

Weight & dimensions

Depth	150 mm
Height	85 mm



0753263079091



753263079091

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.