

Axagon HMA-GL3A Multiport-Hub USB 3.0 Typ A Gbit-LAN 3x USB-A microSD Wired USB 3.2 Gen 1 (3.1 Gen 1) Type-A Black

Brand : Axagon

Product code: HMA-GL3A

Product name : HMA-GL3A Multiport-Hub USB 3.0 Typ A Gbit-LAN 3x USB-A microSD

HMA-GL3A SuperSpeed USB-A hub + gigabit LAN

Axagon HMA-GL3A Multiport-Hub USB 3.0 Typ A Gbit-LAN 3x USB-A microSD. Connectivity technology: Wired, Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-A. Ethernet LAN data rates: 10,100,1000 Mbit/s, Networking standards: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Product colour: Black, Data transfer rate: 5 Gbit/s, Hub interfaces: RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A. Power source type: USB, Power connector: USB Type-A, Power supply type: USB. Width: 90 mm, Depth: 23 mm, Height: 13 mm



Ports & interfaces

Connectivity technology *	Wired
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-A
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3
USB Power Delivery (USB PD)	✗
Microphone in *	✗
Combo headphone/mic port	✗

Network

Ethernet LAN *	✓
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Wake-on-LAN ready	✓
Networking standards	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x
Jumbo frames support	✓
Auto MDI/MDI-X	✓
Full duplex	✓
VLAN tagging	✓

Performance

Card reader integrated *	✗
Data transfer rate	5 Gbit/s
Hot-Plug support	✓
Product colour *	Black
Hub interfaces	RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A
LED indicators	✓

Power

Power connector	USB Type-A
Power supply type	USB
USB cable length	0.2 m

Software

Windows operating systems supported	✓
Mac operating systems supported	✓
Linux operating systems supported	✓
Server operating systems supported	✓
Mobile operating systems supported	✓
Other operating systems supported	✓

Weight & dimensions

Width	90 mm
Depth	23 mm
Height	13 mm
Weight	38 g

Packaging data

Quantity per pack	1 pc(s)
Package width	203 mm
Package depth	100 mm
Package height	28 mm
Package weight	75 g

Packaging content

Cables included	USB
Manual	✓

Performance		Technical details	
Plug and Play	✓	Warranty period	2 year(s)
Country of origin	China	Compliance certificates	RoHS
Brand compatibility	Universal	Other features	
Certification	CE, RoHS	Cable length	0.2 m
Audio			
Built-in speaker(s)	✗		
Built-in microphone	✗		
Cooling			
Built-in fan	✗		
Power			
Power source type	USB		



8595247905598

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.