

GIGABYTE H810M H Motherboard - Intel Core Ultra (Series 2) CPUs, 4+1+2 Phases VRM, up to 6400MHz DDR5, 1xPCIe 4.0 M.2, 1GbE LAN, USB 3.2 Gen 1

Brand : GIGABYTE

Product code: H810M H


Product name : H810M H Motherboard - Intel Core Ultra (Series 2) CPUs, 4+1+2 Phases VRM, up to 6400MHz DDR5, 1xPCIe 4.0 M.2, 1GbE LAN, USB 3.2 Gen 1

- Supports Intel Core Ultra processors (Series 2)
- Hybrid 4+1+2 phases VRM solution
- EZ-Latch: PCIe x16 Slot with Quick Release Design
- Friendly UI: Multi-Theme and Q-Flash Auto Scan in BIOS and SW
- Next Generation Storage: PCIe 4.0 x4 M.2 Connectors
- Fast Networking: GbE LAN
- Extended Connectivity: HDMI

H810M H Motherboard - Intel Core Ultra (Series 2) CPUs, 4+1+2 Phases VRM, up to 6400MHz DDR5, 1xPCIe 4.0 M.2, 1GbE LAN, USB 3.2 Gen 1

GIGABYTE H810M H Motherboard - Intel Core Ultra (Series 2) CPUs, 4+1+2 Phases VRM, up to 6400MHz DDR5, 1xPCIe 4.0 M.2, 1GbE LAN, USB 3.2 Gen 1:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	Headphone outputs	1
Processor socket *	LGA 1851 (Socket V1)	Line-in	✓
Compatible processor series *	Intel Core Ultra (Series 2)	Microphone in	✓
Supported processor sockets	LGA 1851	Network	
Memory		Ethernet LAN	✓
Supported memory types *	DDR5-SDRAM	Ethernet interface type	Gigabit Ethernet
Number of memory slots *	2	LAN controller	Realtek RTL8111H
Memory slots type	DIMM	Wi-Fi *	✗
Memory channels	Dual-channel	Features	
ECC compatibility	ECC & Non-ECC	Motherboard chipset *	Intel H810
Supported memory clock speeds	5600,6400 MHz	Audio chip	Realtek ALC897
Supported memory clock speed (max)	6400 MHz	Audio output channels *	7.1 channels
Maximum internal memory *	128 GB	Product colour	Dark brown
Unbuffered memory	✓	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Maximum internal memory per slot	64 GB	Component for *	PC
Storage controllers		Motherboard form factor *	micro ATX
Supported storage drive types	HDD & SSD	Motherboard chipset family *	Intel
Supported storage drive interfaces *	M.2, PCI Express 4.0, SATA III	Cooling type	Passive
Number of HDDs supported	4	Power source type	ATX
Number of storage drives supported	5	Windows operating systems supported	Windows 10 x64, Windows 11 x64
RAID support	✓	Expansion slots	
RAID levels	0, 1, 5, 10	PCI Express x1 (Gen 3.x) slots	1
Graphics		PCI Express x16 (Gen 4.x) slots	1
Parallel processing technology support *	Not supported	Number of M.2 (M) slots	1
Maximum resolution	4096 x 2160 pixels	1st M.2 largest key size	2280
HDCP	✓		

Graphics		Expansion slots	
DirectX version	12.0	1st M.2 highest PCI Express generation	4.0
Internal I/O		BIOS	
USB 2.0 connectors *	1	BIOS type *	UEFI AMI
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	BIOS memory size	256 Mbit
Number of SATA III connectors *	4	ACPI version	5.0
S/PDIF out connector	✓	Clear CMOS jumper	✓
Front panel audio connector	✓	Desktop Management Interface (DMI) version	2.7
Front panel connector	✓	System Management BIOS (SMBIOS) version	2.7
ATX Power connector (24-pin)	✓	Logistics data	
CPU fan connector	✓	Products per shipping (inner) case	1 pc(s)
Number of CPU fan connectors	1	Battery	
Number of chassis fan connectors	2	Battery weight	3 g
EPS power connector (8-pin)	✓	Lithium weight per battery	0.07 g
Number of EPS power connectors (8-pin)	1	Number of battery cells	1
TPM connector	✓	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Serial port headers	1	Battery type	CR2032
RGB LED pin header	✓	Packaging data	
Number of RGB LED pin headers	2	Package width	265 mm
Rear panel I/O ports		Package depth	265 mm
USB 2.0 ports quantity *	5	Package height	54 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1	Package weight	860 g
Ethernet LAN (RJ-45) ports *	1	Weight & dimensions	
PS/2 ports quantity	1	Width	244 mm
VGA (D-Sub) ports quantity *	1	Depth	215 mm
HDMI ports quantity *	1	Height	35 mm
HDMI version	2.1	Packaging content	
		Batteries included	✓
		Screws included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	860 g
		Technical details	
		Warranty period	3 year(s)



4719331869540

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.